


Note linietaf:
Beregnet iht. DS 418, Anneks D.



Densitet bagmur kg/m ³	Kantisolering mm	U _v W/m ² K	U _t W/m ² K	Linietaf, Ψ _f W/m K
1800	0	0,27	0,15	0,14 (0,1369)
	15			0,14 (0,1361)
	25			0,14 (0,1367)
1500	15	0,26		0,13 (0,1296)
1200				0,12 (0,1230)

U _t	Ψ _f
W/m ² K	W/mK
0,15	se skema

dansk beton

Fundament ved 350 mm facade

Dato: 17.07.2009

Mål: 1:10

Tegn. nr. 1-1-01

LETBETONELEMENTGRUPPEN - BIH